



## Bow Shackles with Safety Bolt Yellow Pin G-3163

### Product information

Bow shackles with safety bolt.

Certification on request: 2.1, 2.2

**Standard:** generally to US Fed. Spec. RR-C-271

**Material:** bow and pin high tensile steel

**Marking:** CE-marked

**Finish:** hot dipped galvanized

**Note:** import quality

**Safety factor:** 6:1

**Grade:** 6

Part code	Diameter mm	WLL ton	Size	a mm	b mm mm	c mm	dmm mm	e mm mm	f mm mm	Weight kg	Delivery time
420100200500	30	2	33	13	16	30	20	48	33	0.36	2
420100330500	38	3.25	43	16	19	38	27	60	43	0.7	2
420100480500	46	4.75	50	19	22	46	32	71	50	1.1	2
420100650500	53	6.5	58	22	25	53	36	84	58	1.61	2
420100850500	61	8.5	68	25	28	61	43	95	68	2.42	2
420100950500	68	9.5	74	28	32	68	46	108	74	3.35	2
420101200500	76	12	82	32	35	76	51	119	82	5.32	2
420101350500	84	13.5	92	35	38	84	57	133	92	7.19	2
420101700500	92	17	98	38	42	92	60	146	98	9.44	2
420102500500	106	25	127	45	50	106	73	177	127	13.8	2

# Blueprint

