

## Aluminium Hydraulic Jack AJH/AJS Yale

### Product information



Aluminium jacks combine lightweight with high lifting capacity. The use of high tensile aluminium alloy allows lifting capacities of up to 100 tonne resulting in a very favourable 1.8 tonne lifting capacity per 1kg weight ratio.

#### Features:

- Extremely low weight.
- Strokes from 75 to 305mm.
- All jacks provided with an overload protection valve.
- Hardened alloy steel saddle and sensitive lowering valve which is activated by the operating lever.
- The 20 to 100 tons jacks can be operated vertically or with front face in horizontal position.

**Material:** Aluminium

**Marking:** CE-marked

<b>Part code</b>	<b>Code</b>	<b>WLL ton</b>	<b>Height mm</b>	<b>Stroke mm</b>	<b>Overall height mm</b>	<b>Weight kg</b>	<b>Delivery time</b>
5205N13200950	AJS-65	6.5	131	75	131	3.6	2
5205N13200951	AJS-104	10	182	115	182	6.3	2
5205N13200952	AJH-620	20	265	152	265	10.9	2
5205N13200958	AJH-630	30	265	152	265	15.4	2
5205N13200967	AJH-1260	60	500	305	500	43.7	2
5205N13200970	AJH-6100	100	315	152	315	49	2