# Chain sling 4-leg with latch hook, grade 8

## Product information



4-legs chain sling assembly equipped with latch hooks and grab hooks. Alternative ends are also available, e.g. foundry hooks, shackles etc. Slings are equipped with a load plate.

... *Read more*

**Material:** Steel
**Marking:** According to standard, CE-mark
**Temperature range:** -40 °C up to +200°C
**Finish:** Painted, black / yellow
**Standard:** EN 818-4
**Warning:** Not to be heat-treated

**Safety factor:** 4:1
**Grade:** 8

© November 2026 - All Rights Reserved

# Chain sling 4-leg with latch hook, grade 8

## Technical data

| Part code | Chain diameter mm | WLL ton | EWL m | Weight kg |
|---|---|---|---|---|
| 231300800100120 | 8 | 4.25 | 1 | 13.79 |
| 231300800200120 | 8 | 4.25 | 2 | 19.46 |
| 231300800300120 | 8 | 4.25 | 3 | 25.12 |
| 231300800400120 | 8 | 4.25 | 4 | 30.79 |
| 231300800500120 | 8 | 4.25 | 5 | 36.46 |
| 231300800600120 | 8 | 4.25 | 6 | 42.13 |
| 231300800700120 | 8 | 4.25 | 7 | 47.8 |
| 231300800800120 | 8 | 4.25 | 8 | 53.47 |
| 231301000100120 | 10 | 6.7 | 1 | 21.38 |
| 231301000200120 | 10 | 6.7 | 2 | 30.24 |
| 231301000300120 | 10 | 6.7 | 3 | 39.1 |
| 231301000400120 | 10 | 6.7 | 4 | 47.96 |
| 231301000500120 | 10 | 6.7 | 5 | 56.82 |
| 231301000600120 | 10 | 6.7 | 6 | 65.68 |
| 231301000700120 | 10 | 6.7 | 7 | 74.54 |
| 231301000800120 | 10 | 6.7 | 8 | 83.4 |
| 231301300200120 | 13 | 11.2 | 2 | 53.7 |
| 231301300300120 | 13 | 11.2 | 3 | 68.7 |
| 231301300400120 | 13 | 11.2 | 4 | 83.7 |
| 231301300500120 | 13 | 11.2 | 5 | 98.7 |
| 231301300600120 | 13 | 11.2 | 6 | 113.7 |
| 231301300700120 | 13 | 11.2 | 7 | 128.7 |
| 231301300800120 | 13 | 11.2 | 8 | 143.7 |
| 231301600200120 | 16 | 17 | 2 | 86.92 |
| 231301600300120 | 16 | 17 | 3 | 109.2 |
| 231301600400120 | 16 | 17 | 4 | 131.48 |
| 231301600500120 | 16 | 17 | 5 | 153.76 |
| 231301600600120 | 16 | 17 | 6 | 176.04 |
| 231301600700120 | 16 | 17 | 7 | 198.32 |
| 231301600800120 | 16 | 17 | 8 | 220.6 |
| 231302000200120 | 20 | 26.5 | 2 | 149.3 |

© November 2026 - All Rights Reserved

# Chain sling 4-leg with latch hook, grade 8

## Technical data

| Part code | Chain diameter mm | WLL ton | EWL m | Weight kg |
|---|---|---|---|---|
| 231302000300120 | 20 | 26.5 | 3 | 185.7 |
| 231302000400120 | 20 | 26.5 | 4 | 222.1 |
| 231302000500120 | 20 | 26.5 | 5 | 258.5 |
| 231302000600120 | 20 | 26.5 | 6 | 294.9 |
| 231302000700120 | 20 | 26.5 | 7 | 331.3 |
| 231302000800120 | 20 | 26.5 | 8 | 367.7 |
| 231302200200120 | 22 | 31.5 | 2 | 214 |
| 231302200300120 | 22 | 31.5 | 3 | 258 |
| 231302200400120 | 22 | 31.5 | 4 | 302 |
| 231302200500120 | 22 | 31.5 | 5 | 346 |
| 231302200600120 | 22 | 31.5 | 6 | 390 |
| 231302200700120 | 22 | 31.5 | 7 | 434 |
| 231302200800120 | 22 | 31.5 | 8 | 478 |
| 231302600200120 | 26 | 45 | 2 | 279.4 |
| 231302600300120 | 26 | 45 | 3 | 340.6 |
| 231302600400120 | 26 | 45 | 4 | 401.8 |
| 231302600500120 | 26 | 45 | 5 | 463 |
| 231302600600120 | 26 | 45 | 6 | 524.2 |
| 231302600700120 | 26 | 45 | 7 | 585.4 |
| 231302600800120 | 26 | 45 | 8 | 646.6 |

© November 2026 - All Rights Reserved